


# Size

CARVING  
FINISH

## Harmony of Elegance

### // PATTERNS THAT FOLLOW PERCEPTIONS

Design & Innovation unite to create surfaces  
with unique patterns that follow perception.  
The 800x1600mm sized surfaces in striking  
Carving finish add dynamic personality to your  
space.







ENGRAVE  
COLLECT ION



AGARSEN GREY

SIZE:  
80x160cm





F INISH:  
CARVING



THICKNESS:  
9mm



RANDOM:  
5 Face











ENGRAVE  
COLLECT ION



ALBETA BEIGE

SIZE:  
80x160cm




F INISH:  
CARVING



THICKNESS:  
9mm



RANDOM:  
4 Face











ENGRAVE  
COLLECT ION



ASIATIC GREY

SIZE:  
80x160cm




F INISH:  
CARVING



THICKNESS:  
9mm




RANDOM:  
4 Face











ENGRAVE  
COLLECT ION



BOTOCHINO DELUX

SIZE:  
80x160cm






F INISH:  
CARVING



THICKNESS:  
9mm



RANDOM:  
4 Face











ENGRAVE  
COLLECT ION



COSMIC BEIGE ROSALIA

SIZE:  
80x160cm





F INISH:  
CARVING



THICKNESS:  
9mm



RANDOM:  
3 Face











ENGRAVE  
COLLECT ION



DIOR BEIGE

SIZE:  
80x160cm







F INISH:  
CARVING



THICKNESS:  
9mm



RANDOM:  
4 Face











ENGRAVE  
COLLECT ION



DIOR GREY

SIZE:  
80x160cm





F INISH:  
CARVING



THICKNESS:  
9mm



RANDOM:  
4 Face







DIOR GREY







ENGRAVE  
COLLECT ION



GUCCHI BEIGE

SIZE:  
80x160cm







F INISH:  
CARVING



THICKNESS:  
9mm



RANDOM:  
3 Face











ENGRAVE  
COLLECT ION



HALDEN GREY

SIZE:  
80x160cm



F INISH:  
CARVING



THICKNESS:  
9mm



RANDOM:  
4 Face











ENGRAVE  
COLLECT ION



JORDAN BIANCO

SIZE:  
80x160cm





F INISH:  
CARVING



THICKNESS:  
9mm



RANDOM:  
4 Face







JORDAN BIANCO







ENGRAVE  
COLLECT ION



JORDAN DARK BROWN

SIZE:  
80x160cm





F INISH:  
CARVING



THICKNESS:  
9mm



RANDOM:  
4 Face











ENGRAVE  
COLLECT ION



JORDAN DARK GREY

SIZE:  
80x160cm




F INISH:  
CARVING



THICKNESS:  
9mm




RANDOM:  
4 Face











ENGRAVE  
COLLECT ION



LILAC WHITE

SIZE:  
80x160cm







F INISH:  
CARVING



THICKNESS:  
9mm



RANDOM:  
4 Face











ENGRAVE  
COLLECT ION



LONGER BEIGE

SIZE:  
80x160cm





F INISH:  
CARVING



THICKNESS:  
9mm



RANDOM:  
4 Face





—○ LONGER BEIGE







ENGRAVE  
COLLECT ION



LOREX WHITE

SIZE:  
80x160cm






F INISH:  
CARVING



THICKNESS:  
9mm



RANDOM:  
4 Face











ENGRAVE  
COLLECT ION



NEXO BROWN

SIZE:  
80x160cm







F INISH:  
CARVING



THICKNESS:  
9mm



RANDOM:  
4 Face











ENGRAVE  
COLLECT ION



NEXO GREY

SIZE:  
80x160cm





FINISH:  
CARVING



THICKNESS:  
9mm



RANDOM:  
4 Face











ENGRAVE  
COLLECT ION



NEXO BLUE

SIZE:  
80x160cm






F INISH:  
CARVING



THICKNESS:  
9mm



RANDOM:  
4 Face











ENGRAVE  
COLLECT ION



OMANI GREY

SIZE:  
80x160cm



F INISH:  
CARVING



THICKNESS:  
9mm



RANDOM:  
4 Face







OMANI GREY







ENGRAVE  
COLLECT ION



RIVANA BEIGE

SIZE:  
80x160cm




F INISH:  
CARVING



THICKNESS:  
9mm



RANDOM:  
4 Face





—○ RIVANA BEIGE







ENGRAVE  
COLLECT ION



RIVANA BROWN

SIZE:  
80x160cm



F INISH:  
CARVING



THICKNESS:  
9mm



RANDOM:  
4 Face











ENGRAVE  
COLLECT ION



RIVANA GREY

SIZE:  
80x160cm




F INISH:  
CARVING



THICKNESS:  
9mm




RANDOM:  
4 Face











ENGRAVE  
COLLECT ION



SATVARIO

SIZE:  
80x160cm







F INISH:  
CARVING



THICKNESS:  
9mm



RANDOM:  
2 Face







SATVARIO







ENGRAVE  
COLLECT ION



SOFITA BEIGE

SIZE:  
80x160cm





F INISH:  
CARVING



THICKNESS:  
9mm




RANDOM:  
4 Face











ENGRAVE  
COLLECT ION



STATUARIO GALAXY

SIZE:  
80x160cm






F INISH:  
CARVING



THICKNESS:  
9mm



RANDOM:  
3 Face











ENGRAVE  
COLLECT ION



SWITCHES BEIGE

SIZE:  
80x160cm







F INISH:  
CARVING



THICKNESS:  
9mm



RANDOM:  
4 Face











ENGRAVE  
COLLECT ION



TREVATINO CLASIC





SIZE:  
80x160cm



F INISH:  
CARVING



THICKNESS:  
9mm











ENGRAVE  
COLLECT ION



ZEKS BEIGE

SIZE:  
80x160cm







F INISH:  
CARVING



THICKNESS:  
9mm



RANDOM:  
5 Face









# SINOX

## S E R I E S

Discover fine craftsmanship and exquisite detailing with finely carved veins from the Sinox Series by Millennium. The collection of tiles in superior carving finish equipped with unmatched attributes and seamless appeal showcase raw and refined elegance. Further, the uneven distribution of veins on tiles gives a marvelous effect when laid on spaces. Give your space a transforming look with trend-setting tiles from the Sinox Series.





ENGRAVE  
COLLECT ION



SINOX IVORY

SIZE:  
80x160cm




F INISH:  
CARVING



THICKNESS:  
9mm




RANDOM:  
4 Face











ENGRAVE  
COLLECT ION



SINOX BEIGE

SIZE:  
80x160cm



F INISH:  
CARVING



THICKNESS:  
9mm




RANDOM:  
4 Face











ENGRAVE  
COLLECT ION



SINOX BROWN

SIZE:  
80x160cm





F INISH:  
CARVING



THICKNESS:  
9mm




RANDOM:  
4 Face











ENGRAVE  
COLLECT ION



SINOX SILVER

SIZE:  
80x160cm





F INISH:  
CARVING



THICKNESS:  
9mm



RANDOM:  
4 Face











ENGRAVE  
COLLECT ION



SINOX GREY

SIZE:  
80x160cm



F INISH:  
CARVING



THICKNESS:  
9mm



RANDOM:  
4 Face







SINOX GREY







ENGRAVE  
COLLECT ION



SINOX MOCA

SIZE:  
80x160cm



F INISH:  
CARVING



THICKNESS:  
9mm



RANDOM:  
4 Face








SINOX MOCA







ENGRAVE  
COLLECT ION



SINOX DECOR

SIZE:  
80x160cm



F INISH:  
CARVING



THICKNESS:  
9mm









SEAMLESS COLLECTION

# CARVING BOOK. 23

80x160cm





SEAMLESS  
COLLECT ION



LAGUNA BROWN

SIZE:  
80x160cm




F INISH:  
CARVING



THICKNESS:  
9mm



RANDOM:  
4 Face











SEAMLESS  
COLLECT ION



LAGUNA GREY

SIZE:  
80x160cm



F INISH:  
CARVING



THICKNESS:  
9mm



RANDOM:  
4 Face











SEAMLESS  
COLLECT ION



LAGUNA VARDE

SIZE:  
80x160cm



F INISH:  
CARVING



THICKNESS:  
9mm



RANDOM:  
4 Face











SEAMLESS  
COLLECT ION



NIVAL BROWN

SIZE:  
80x160cm



F INISH:  
CARVING



THICKNESS:  
9mm



RANDOM:  
4 Face











SEAMLESS  
COLLECT ION



NIVAL GREY

SIZE:  
80x160cm




F INISH:  
CARVING



THICKNESS:  
9mm



RANDOM:  
4 Face











SEAMLESS  
COLLECT ION



PLATINUM BIANCO

SIZE:  
80x160cm






F INISH:  
CARVING



THICKNESS:  
9mm



RANDOM:  
4 Face











SEAMLESS  
COLLECT ION



RIGATO WHITE

SIZE:  
80x160cm







F INISH:  
CARVING



THICKNESS:  
9mm



RANDOM:  
4 Face











SEAMLESS  
COLLECT ION



TANGO GREY

SIZE:  
80x160cm



F INISH:  
CARVING



THICKNESS:  
9mm



RANDOM:  
4 Face







TANGO GREY





TECHNICAL SPECIFICATION OF GLAZED VITRIFIED TILES

| CHARACTERISTIC                | STANDARD AS PER<br>ISO-13006/EN14411 GROUP Bla | MEAN VALUE      | TEST METHOD   |
|-------------------------------|------------------------------------------------|-----------------|---------------|
| REGULATORY PROPERTIES         |                                                |                 |               |
| Deviation in length & width   | ± 0.5%                                         | ± 0.20%         | ISO -10545-2  |
| Deviation in thickness        | ± 0.5%                                         | ± 0.50%         | ISO -10545-2  |
| Straightness in side          | ± 0.5%                                         | ± 0.20%         | ISO -10545-2  |
| Rectangularity                | ± 0.6%                                         | ± 0.20%         | ISO -10545-2  |
| Surface flatness              | ± 0.5%                                         | ± 0.20%         | ISO -10545-2  |
| Color di erence               | Unlterned                                      | No change       | ISO -10545-16 |
| Glossiness                    | As per mfg.                                    | Min 90%         | GLOSSO METER  |
| STRUCTURAL PROPERTIES         |                                                |                 |               |
| Water absorption              | > 0.5 %                                        | > 0.05 %        | ISO-10545-3   |
| Apparent density              | > 2.5 g/cc                                     | > 2.10 g/cc     | DIN 51082     |
| MASSIVE MECHANICAL PROPERTIES |                                                |                 |               |
| Modulus of rupture            | Min. 35 N/mm2                                  | Min. 40 N/mm2   | SO-10545-4    |
| Breaking strength             | Min. 1300 N                                    | Min. 2000 N     | ISO-10545-4   |
| Impact resistance             | As per mfg.                                    | Min. 0.55       | ISO-10545-5   |
| SURFACE MECHANICAL PROPERTIES |                                                |                 |               |
| Surface abrasion resistance   | As per mfg.                                    | Min. Class-3    | ISO-10545-7   |
| MOH’s hardness                | As per mfg.                                    | Min. 4          | EN 101        |
| THERMO HYGROMETRIC PROPERTIES |                                                |                 |               |
| Frost resistance              | No damage                                      | No damage       | ISO-10545-12  |
| Thermal shock resistance      | No damage                                      | No damage       | ISO-10545-9   |
| Moisture expansion            | Nill                                           | Nill            | ISO-10545-10  |
| Thermal expansion (COE)       | Max. 9.0 x 10-6                                | Max. 6.5 x 10-6 | ISO-10545-8   |
| Crazing resistance            | As per mfg.                                    | Min. 10 Cycle   | ISO-10545-11  |
| CHEMICAL PROPERTIES           |                                                |                 |               |
| Chemical resistance           | No damage                                      | No damage       | ISO-10545-13  |
| Stain resistance              | Resistant                                      | Resistant       | ISO-10545-14  |
| SAFETY PROPERTIES             |                                                |                 |               |
| Slip resistance               | As per mfg.                                    | > 0.40 %        | ISO-10545-17  |
| Fire resistance               | As per mfg.                                    | Fire Proof      | N.A.          |

PACKING DETAIL

|                          |            |
|--------------------------|------------|
| TILE SIZE                | 800x1600mm |
| THICKENESS<br>(APPROX.)  | 9 mm       |
| Pieces / Per Box         | 2 pcs.     |
| Coverage Area In Sq. Ft. | 27.55      |
| Box Weight<br>(APPROX.)  | 51 kg      |